AMENDMENT NUMBER 1 TO THE BID DOCUMENTS

Amendment Date: 17 September 2018

BID DOCUMENT NUMBER: G/OIB/CPB-02/2018
Pharmaceutical Products

A. This Amendment shall be considered part of the bid documents for the above-mentioned project as though it had been issued at the same time and shall be incorporated integrally therewith. Where provisions of the following supplementary data differ from those of the original bid documents, this Amendment shall govern and take precedence. BIDDERS MUST SIGN THE AMENDMENT AND SUBMIT IT WITH THEIR BIDS.

B. It will be construed that each bidder's proposal is submitted with full knowledge of all modifications and supplemental data specified herein.

Except as described below, the original bid document remains unchanged. The bid documents are modified and/or clarified, as follows:

SECTION & PAGE NUMBER	ITEM DESCRIPTION IN THE CURRENT BID DOCUMENTS AND CURRENT QUANTITY REQUIRED	AMENDED ITEM DESCRIPTION AND QUANTITY REQUIRED
Section V Schedule of requirements , item number 286, page 74	CURRENT DESCRIPTION: Rotavirus Vaccine, live, Oral, 1 dose vial. Vial of lyophilized vaccine to be reconstituted with a liquid diluent. Each 1-mL dose contains a suspension of at least 106.0 median Cell Culture Infective Dose (CCID50) of live, attenuated human G1P[8] rotavirus after reconstitution, for oral use only, must be WHO pre-qualified; with Vaccine Vial Monitor (VVM).	NEW DESCRIPTION: Rotavirus Vaccine, live attenuated vaccine, Oral mono dose liquid ready to use tube. Each 1-mL dose contains a suspension of at least 106.0 median Cell Culture Infective Dose (CCID50) of live, attenuated human G1P[8] rotavirus, for oral use only, must be WHO pre-qualified; with Vaccine Vial Monitor (VVM).
	QUANTITY REQUIRED: 50,000 doses	NEW QUANTITY REQUIRED: 150,000 doses, equivalent to 3,000 packs of 50's.

Mr. PP Swartz
Chairperson

OFFICE OF THE CHAIRPERSON

BIDDER MUST ACKNOWLEDGE THIS AMENDMENT BY SIGNING BELOW AND ATTACHING THE SIGNED AMENDMENT TO THE BID FORM:

Company Name
Contact Person
Signature
Date